



CABINET_A


Electrical schematic diagram


JY-RD-03-21-05


			DATE	2022/5/28	Jiangyin Juyuan Intelligent Technology Co., Ltd.	1MW MINER LIQUID COOLING SYSTEM	TITLE PAGE	=
			AUTHOR					+ CABINET_A
			CHECK					Page 1
MODIFY	DATE	NAME						5 Page / 55

































			DATE	2022/5/28	Jiangyin Juyuan Intelligent Technology Co., Ltd.	1MW MINER LIQUID COOLING SYSTEM	POWER#5-10~#5-15 #5-10~#5-15电源	=	
			AUTHOR					+ CABINET_A	
			CHECK					Page	14
MODIFY	DATE	NAME						18	Page / 55







			DATE	2022/5/28	Jiangyin Juyuan Intelligent Technology Co., Ltd.	1MW MINER LIQUID COOLING SYSTEM	POWER#7-1~#7-9 #7-1~#7-9电源	=	
			AUTHOR					+ CABINET_A	
			CHECK					Page	17
MODIFY	DATE	NAME						21	Page / 55



X1 端子排			
S-11	1	aSPD	
S-14	2		
蓝	3	TT41	
红	4		
红	5		
08	6	aQFES	
07	7	aQF1	
04	8	ESB1-3	
05	9	ESB1-4	
L13	10	aQFSW	
2N	11		

防雷器信号

温度传感器

分励脱口线圈

集装箱急停按钮

交换机电源